



## Product details:

Storm Diamond Pads present the **cost effective** method of cleaning, maintaining and shining polished floors.

Unlike competing pads on the market, they are **double sided** for twice the value and are prepared with billions of microscopic diamonds on both sides.

Storm Diamond Pads maintain surfaces, polish to a high gloss finish and produce a hygienically clean floor without the need for harsh chemicals, presenting the complete **environmentally friendly** surface preparation solution.

The pads are designed to fit the STG450 and most other surface texturing, auto scrubbing and polishing machines.

## Features:

- No fixings, pads are simply placed under the machine.
- Chemical free cleaning system - just add water or use dry.
- Pads adjust to irregularities in the floor.

### The Storm Diamond Pad System

1. Remove any loose surface contaminants from the floor e.g. dust, sand or gravel
2. Place Storm Diamond Pad under your machine
3. Add water (optional)
4. Start the machine

## Applications:

Storm Diamond Pads produce optimum cleaning and polishing results on; resin floor surfaces, epoxy, terrazzo, marble, natural stone, concrete and vinyl. They renovate dull, worn floors and are ideal for small areas - even edgework.



Available in 4 grit sizes:  
400, 800, 1500 & 3000





## The Storm Diamond Pad System

<b>COLOUR/ GRADE</b>	<b><u>APPLICATIONS</u></b>
--------------------------	----------------------------

on all smooth, shiny surfaces:  
stone, concrete, marble, vinyl, terrazzo,  
linoleum, epoxy resin / SL floors

---

<b>Red 400</b>	<b>Heavy duty cleaning of floors.</b> For deep cleaning of damaged, scratched floors and for the removal of surface contaminants. <i>Leaves a matt finish.</i>
--------------------	---

---

<b>White 800</b>	<b>General cleaning of heavily soiled floors.</b> For removing light scratches and staining from areas of heavy traffic , restoring the floor back to its original state. <i>Leaves a light gloss finish.</i>
----------------------	---

---

<b>Yellow 1500</b>	<b>General cleaning of lightly soiled floors.</b> The most popular pad in the range. For quick and effective floor maintenance. <i>Leaves a gloss finish.</i>
------------------------	--

---

<b>Green 3000</b>	<b>Cleaning lightly used floors.</b> For areas of light traffic . Can be used for daily maintenance of a 'sound' floor where the ultimate shine is desired. <i>Leaves a high gloss/mirror finish.</i>
-----------------------	---



## The Storm Diamond Pad System

### WHY SELECT OUR PADS?

Storm Diamond Pads offer a cost effective, eco friendly solution for cleaning & maintaining polished floors, plus..

- Storm Diamond Pads are the only double sided diamond impregnated pad currently available on the market.

You can use both sides, so the pads last twice as long.

#### THEY SAVE YOU MONEY.

- Storm Diamond Pads contain 33% more diamond than competing pads.




With more diamond you get quicker, more effective results.

#### THEY SAVE YOU TIME.

- Storm Diamond Pads produce optimum cleaning and polishing results without harsh chemicals.

You don't need to purchase harmful cleaning fluids, just place the pad under your machine, add water (optional) and away you go.

#### THEY SAVE YOU TIME AND MONEY.





## The Storm Diamond Pad System

### HOW TO USE:

#### 1 Before you start

Ensure that the surface is swept clean and any loose material removed (to avoid damage to the Storm Pad).

#### 2 Attach the Storm Pad

All machines differ. Some have central locking devices, some rely on the pad slotting onto a central mounting and some have no securing device at all.

Fit your Storm Pad in the same way as you would any other conventional cleaning pad.

#### 3 Use 'dry' or just add water

Excellent results can be achieved by using the Storm Pad 'dry'. However, with the application of water, the floor can be cleaned quicker, the pad will last longer and you will achieve enhanced shine.

#### 4 Start your machine

You can now begin cleaning. The rotating operation of your scrubber/dryer, pad pressure and speed will affect the cleaning/polishing process.

**Always wash your Storm Pad after use.**

As a guide, each side of the pad will cover approx. 30,000m<sup>2</sup> or 60,000m<sup>2</sup> in total before it will need to be changed, but often lasts even longer.

